

PEDIATRIC ASSOCIATES OF NYC- pediatricassociatesnyc.com

6 month visit

Today's measurements Wt %, Ht %, HC %

Vaccine:

- DTap, Hib, Prevnar, Rotateq
- Influenza (in season)
- Reactions: fever, irritability, redness at site, firm lump at site- cool compress today, warm compress tomorrow
- Acetaminophen or Ibuprofen- dosage based on weight- see website for product/dosage info

Development:

- Babbles
- Rolls over
- Sits with support, tripods
- Transfers objects between hands
- Reaches/grabs objects
- May rock back and forth on hands and knees, preparing to crawl
- May show signs of separation anxiety

Sleep:- see separate handout

- Develop sleep/bedtime routine
- Put baby to sleep awake but drowsy

Solids:

- Start solids between 4-6 months- see separate sheet
- Juice is NOT needed or recommended
- Offer water in a cup

Teething:

- The first tooth erupts between 4 and 12 months (even up to 18 month in rare instances).
- A cold damp washcloth and chew toys are helpful
- Once teeth erupt, start wiping them with a soft cloth or finger brush and water. No toothpaste is necessary

Safety:

- Begin childproofing: baby gates for stairs, cover electric outlets, keep medication and cleaning supplies in locked or high cupboard, window guards
- DO NOT use walkers
- Never leave baby on high surface (changing table, bed, couch...) even for "a second". Babies wiggle and often fall.
- Block cords attached to heavy objects that can be pulled down

When to call:

- Rectal temp >101 for 72 hours
- Crying excessively or inconsolably
- Difficulty breathing
- Lethargic or poor feeding
- OR any other concerns or questions